

KONFIGURATION

Sehr geehrter Kunde,

vielen Dank, dass Sie sich für den **Multiplex CORE M-Link** entschieden haben! Jede Fernsteuerung ist eine Maßanfertigung und wird nach Ihren Wünschen gefertigt.

Nachdem Sie mit der Konfiguration Ihres Senders fertig sind, speichern Sie das Formular ab und senden es an **serviceteam@multiplexrc.de**



zertifiziert nach DIN EN ISO 9001
zugelassener Wirtschaftsbeteiligter
AEOF 110749

Name, Vorname _____

| | | | | |
|----------------------------------|-----------------------------|---------------------------|------------------------------|---------------------------|
| Wählen Sie eine Variante: | Handsender titan | Handsender schwarz | Pultsender titan | Pultsender schwarz |
| Wählen Sie einen Mode: | MODE 2+4 (Gas links) | | MODE 1+3 (Gas rechts) | |

KNÜPPELSCHALTER RECHTS

KNÜPPELSCHALTER LINKS

POSITION A

POSITION E

POSITION B

POSITION F

POSITION C

POSITION G

POSITION D

POSITION H



Ausbauoptionen siehe S. 2/3

JA, mir ist bewusst, dass die Software im Funktionsumfang noch nicht vollständig ist und im Laufe 2020, sowie darüber hinaus über kostenlose Updates erweitert wird.


Ein zuverlässiger Flugbetrieb wird mir von der MULTIPLEX Modellsport GmbH & Co KG ausdrücklich gewährleistet.

Gelieferte Ware bleibt bis zur vollständigen Bezahlung Eigentum des Lieferanten. Es gelten unsere Allgemeinen Geschäftsbedingungen.



Einbauposition


Ausbaumöglichkeiten

#












KR

| | | |
|---|---|---------|
|  | 8115 Knüppelschalter, 3-Stufenschalter rechts (<i>Aufpreis: 59,00 €/Schalter</i>) | 1-02033 |
|  | 8116 Knüppelschalter, 2-Stufenschalter rechts (<i>Aufpreis: 59,00 €/Schalter</i>) | 1-02035 |












A

| | | |
|---|---|------------------|
|  | 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - A | 1-01978 |
|  | 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - A | 1-01979 |
|  | 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - A | 1-01980 |
|  | 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - A | 1-01981 Standard |
|  | 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - A | 1-01982 |
|  | 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - A | 1-01983 |
|  | 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - A | 1-01984 |
|  | 8135 Sicherheitsschalter 2POS-SL-A, 2-Pos., - A (<i>Aufpr.: 24,90 €/Schalter</i>) | 1-01985 |











B

| | | |
|---|---|------------------|
|  | 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - B | 1-01986 |
|  | 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - B | 1-01987 |
|  | 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - B | 1-01988 Standard |
|  | 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - B | 1-01989 |
|  | 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - B | 1-01990 |
|  | 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - B | 1-01991 |
|  | 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - B | 1-01992 |
|  | 8135 Sicherheitsschalter 2POS-SL-A, 2-Pos., - B (<i>Aufpr.: 24,90 €/Schalter</i>) | 1-01993 |







C

| | | |
|---|--|------------------|
|  | 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - C | 1-01994 |
|  | 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - C | 1-01995 |
|  | 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - C | 1-01996 Standard |
|  | 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - C | 1-01997 |
|  | 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - C | 1-01998 |
|  | 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - C | 1-01999 |
|  | 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - C | 1-02000 |



D

| | | |
|---|--|------------------|
|  | 8122 Schalter 2POS-L-OX-CD, 2-Positionen, lang, - D | 1-02001 Standard |
|  | 8123 Schalter 2POS-S-OX-CD, 2-Positionen, kurz, - D | 1-02002 |
|  | 8127 Schalter 3POS-L-OXO-CD, 3-Positionen, lang, - D | 1-02003 |
|  | 8137 Momentschalter 2POS-L-OM-D, 2-Positionen, lang, - D | 1-02004 |

Einbauposition

Ausbaumöglichkeiten

#

KL



- 8115 Knüppelschalter, 3-Stufenschalter links (*Aufpreis: 59,00 €/Schalter*) 1-02032
- 8116 Knüppelschalter, 2-Stufenschalter links (*Aufpreis: 59,00 €/Schalter*) 1-02034

E



- 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - E 1-02005
- 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - E 1-02006
- 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - E 1-02007
- 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - E 1-02008 Standard
- 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - E 1-02009
- 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - E 1-02010
- 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - E 1-02011
- 8135 Sicherheitsschalter 2POS-SL-A, 2-Pos., - E (*Aufpr.: 24,90 €/Schalter*) 1-02012

F



- 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - F 1-02013
- 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - F 1-02014
- 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - F 1-02015 Standard
- 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - F 1-02016
- 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - F 1-02017
- 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - F 1-02018
- 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - F 1-02019
- 8135 Sicherheitsschalter 2POS-SL-A, 2-Pos., - F (*Aufpr.: 24,90 €/Schalter*) 1-02020

G



- 8120 Schalter 2POS-S-OX-AB, 2-Positionen, kurz, - G 1-02021
- 8121 Schalter 2POS-L-OX-AB, 2-Positionen, lang, - G 1-02022
- 8125 Schalter 3POS-S-OXO-AB, 3-Positionen, kurz, - G 1-02023 Standard
- 8126 Schalter 3POS-L-OXO-AB, 3-Positionen, lang, - G 1-02024
- 8130 Momentschalter 2POS-S-OM-AB, 2-Positionen, kurz, - G 1-02025
- 8131 Momentschalter 2POS-L-OM-AB, 2-Positionen, lang, - G 1-02026
- 8133 Teilmomentschalter 3POS-L-OXM-AB, 3-Positionen, lang, - G 1-02027

H



- 8122 Schalter 2POS-L-OX-CD, 2-Positionen, lang, - H 1-02028 Standard
- 8123 Schalter 2POS-S-OX-CD, 2-Positionen, kurz, - H 1-02029
- 8127 Schalter 3POS-L-OXO-CD, 3-Positionen, lang, - H 1-02030
- 8132 Momentschalter 2POS-L-OM-D, 2-Positionen, lang, - H 1-02031

 **CONFIGURATION**

Dear customer,

thank you for choosing the **Multiplex CORE M-Link!** Each transmitter is custom made and manufactured to your specifications.


After you have finished configuring your transmitter, save the form and send it to **serviceteam@multiplexrc.de**



zertifiziert nach DIN EN ISO 9001
zugelassener Wirtschaftsbeteiligter
AEOF 110749

Name, First name _____

| | | | | |
|--------------------------|---------------------------------|-----------------------|----------------------------------|-------------------|
| Choose a version: | Handheld titanium | Handheld black | Tray titanium | Tray black |
| Choose a version: | MODE 2+4 (Throttle left) | | MODE 1+3 (Throttle right) | |



For expansion options see p. 2/3

YES, I am aware that the full range of software functions is not yet complete, and will be expanded by means of free updates in the course of 2020 and beyond.


MULTIPLEX Modellsport GmbH & Co KG expressly guarantees that the product will be reliable in flying operations.

Delivered goods remain the property of the supplier until full payment. Our general terms and conditions apply.



Installation position


Expansion options

#












KR

| | | |
|---|--|---------|
|  | 8115 Stick switch, 3-position switch (additional charge: 59,00 €/switch) | 1-02033 |
|  | 8116 Stick switch, 2-position switch (additional charge: 59,00 €/switch) | 1-02035 |












A

| | | |
|---|--|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - A | 1-01978 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - A | 1-01979 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - A | 1-01980 |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - A | 1-01981 standard |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - A | 1-01982 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - A | 1-01983 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - A | 1-01984 |
|  | 8135 Security switch 2POS-SL-A, 2-position, - A (add. ch.: 24,90 €/switch) | 1-01985 |











B

| | | |
|---|--|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - B | 1-01986 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - B | 1-01987 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - B | 1-01988 standard |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - B | 1-01989 |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - B | 1-01990 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - B | 1-01991 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - B | 1-01992 |
|  | 8135 Security switch 2POS-SL-A, 2-position, - A (add. ch.: 24,90 €/switch) | 1-01993 |







C

| | | |
|---|---|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - C | 1-01994 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - C | 1-01995 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - C | 1-01996 standard |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - C | 1-01997 |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - C | 1-01998 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - C | 1-01999 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - C | 1-02000 |




D

| | | |
|---|---|------------------|
|  | 8122 Switch 2POS-L-OX-AB, 2-position, long, - D | 1-02001 standard |
|  | 8123 Switch 2POS-S-OX-AB, 2-position, short, - D | 1-02002 |
|  | 8127 Switch 3POS-L-OXO-AB, 3-position, long, - D | 1-02003 |
|  | 8137 Momentary switch 2POS-L-OM-AB, 2-position, long, - D | 1-02004 |



Installation position


Expansion options

#












KR

| | | |
|---|--|---------|
|  | 8115 Stick switch, 3-position switch (additional charge: 59,00 €/switch) | 1-02032 |
|  | 8116 Stick switch, 2-position switch (additional charge: 59,00 €/switch) | 1-02034 |












A

| | | |
|---|--|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - E | 1-02005 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - E | 1-02006 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - E | 1-02007 |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - E | 1-02008 standard |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - E | 1-02009 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - E | 1-02010 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - E | 1-02011 |
|  | 8135 Security switch 2POS-SL-A, 2-position, - A (add. ch.: 24,90 €/switch) | 1-02012 |











B

| | | |
|---|--|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - F | 1-02013 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - F | 1-02014 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - F | 1-02015 standard |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - F | 1-02016 |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - F | 1-02017 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - F | 1-02018 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - F | 1-02019 |
|  | 8135 Security switch 2POS-SL-A, 2-position, - A (add. ch.: 24,90 €/switch) | 1-02020 |







C

| | | |
|---|---|------------------|
|  | 8120 Switch 2POS-S-OX-AB, 2-position, short, - G | 1-02021 |
|  | 8121 Switch 2POS-L-OX-AB, 2-position, long, - G | 1-02022 |
|  | 8125 Switch 3POS-S-OXO-AB, 3-position, short, - G | 1-02023 standard |
|  | 8126 Switch 3POS-L-OXO-AB, 3-position, long, - G | 1-02024 |
|  | 8130 Momentary switch 2POS-S-OM-AB, 2-position, short, - G | 1-02025 |
|  | 8131 Momentary switch 2POS-L-OM-AB, 2-position, long, - G | 1-02026 |
|  | 8133 Part momentary switch 3POS-L-OXM-AB, 3-position, long, - G | 1-02027 |



D

| | | |
|---|---|------------------|
|  | 8122 Switch 2POS-L-OX-AB, 2-position, long, - H | 1-02028 standard |
|  | 8123 Switch 2POS-S-OX-AB, 2-position, short, - H | 1-02029 |
|  | 8127 Switch 3POS-L-OXO-AB, 3-position, long, - H | 1-02030 |
|  | 8132 Momentary switch 2POS-L-OM-AB, 2-position, long, - H | 1-02031 |