



Flugstil	Kategorie	Segelflugzeug ≤ 2m	Segelflugzeug ≤ 4m	Segelflugzeug ≤ 6m	Segelflugzeug ≤ 8m
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°) HS-85BB (12mm; 3,4kgcm; 0,18s/60°) HS-125MG (10mm; 3,5kgcm; 0,13s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-85MG (12mm; 3,4kgcm; 0,1s/60°) HS-125MG (10mm; 3,5kgcm; 0,13s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-325HB (20mm; 3,7kgcm; 0,15s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-5485MG (19,8mm; 6,4kgcm; 0,17s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF)
GENÄCHLICH	Mittelklasse	HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-82MG (12mm; 3,4kgcm; 0,1s/60°) HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°)	HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) D145SW (10mm; 6,0kgcm; 0,14s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°)	D145SW (10mm; 6,0kgcm; 0,14s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°)	D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°) D89MW (13mm; 7,4kgcm; 0,11s/60°; Wing) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°; Wing)	HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°)
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°) HS-125MG (10mm; 3,5kgcm; 0,13s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-85MG (12mm; 3,4kgcm; 0,1s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-5485MG (19,8mm; 6,4kgcm; 0,17s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF)
SPORTLICH	Mittelklasse	HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-82MG (12mm; 3,4kgcm; 0,1s/60°) HS-85MG (12mm; 3,4kgcm; 0,1s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	D145SW (10mm; 6,0kgcm; 0,14s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°)	D145SW (10mm; 6,0kgcm; 0,14s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°)	HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	HSB-9360TH (20mm; 29kgcm; 0,12s/60°) HSB-9475SH (20mm; 31,2kgcm; 0,15s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°)	HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°)
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF)
EXTREM	Mittelklasse	HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°)	D145SW (10mm; 6,0kgcm; 0,14s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°) D89MW (13mm; 7,4kgcm; 0,11s/60°; Wing)	D145SW (10mm; 6,0kgcm; 0,14s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°)	HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°) D951TW (20mm; 35kgcm; 0,14s/60°)
	Premium	MD145SW (10mm; 6,0kgcm; 0,14s/60°) D89MW (13mm; 7,4kgcm; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) MD145SW (10mm; 6,0kgcm; 0,14s/60°) D951TW (20mm; 35kgcm; 0,14s/60°)	HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°; Wing)



	DLG / F3K	Heli 600er	Heli 700er	Heli 800er
Basic	HS-45HB (9,8mm; 1,2kgcm; 0,12s/60°) MS-8510MG (8,5mm; 1,0kgcm; 0,06s/60°)			
Mittelklasse		HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)	HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)	HSB-9485SH (20mm; 23kgcm; 0,15s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)
Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°)	
	HS-65HB (11,6mm; 2,2kgcm, 0,11s/60°)		HS-7954SH (20mm; 29kgcm; 0,12s/60°)	
Basic	HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-65MG (11,6mm; 2,2kgcm, 0,11s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)	HSB-9485SH (20mm; 23kgcm; 0,15s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)
Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	D941TW (20mm; 16,5kgcm; 0,07s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°)	HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) D941TW (20mm; 16,5kgcm; 0,07s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°)	HSB-9370TH (20mm; 25kgcm; 0,10s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°)
Basic	HS-65HB (11,6mm; 2,2kgcm, 0,11s/60°)			
Mittelklasse	HS-65MG (11,6mm; 2,2kgcm, 0,11s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)	D946TW (20mm; 23,0kgcm; 0,1s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)	D946TW (20mm; 23,0kgcm; 0,1s/60°) HSG-8315BH (20mm; 5,3kgcm; 0,04s/60°)
Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	D941TW (20mm; 16,5kgcm; 0,07s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°)	HSB-9370TH (20mm; 25kgcm; 0,10s/60°) D941TW (20mm; 16,5kgcm; 0,07s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°)	HSB-9370TH (20mm; 25kgcm; 0,10s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°)



Flugstil	Kategorie	Motorflugzeug ≤ 1m	Motorflugzeug ≤ 1,5 m
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°)	HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-311 (20mm; 3,7kgcm; 0,15s/60°) HS-422 (20mm; 3,9kgcm; 0,16s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°)
GEMÄCHLICH	Mittelklasse	HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°)	D85MG (13mm; 4,3kgcm; 0,13s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°)
	Basic	HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°)	HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-325HB (20mm; 3,7kgcm; 0,15s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°)
SPORTLICH	Mittelklasse	HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°)	HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) D85MG (13mm; 4,3kgcm; 0,13s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D485HW (19,9mm; 7,5kgcm; 0,15s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°) D85MG (13mm; 4,3kgcm; 0,13s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD89MW (13mm; 7,4kg; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)
	Basic	HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°)	HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) D485HW (19,9mm; 7,5kgcm; 0,15s/60°)
EXTREM	Mittelklasse	HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) D85MG (13mm; 4,3kgcm; 0,13s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°)	D85MG (13mm; 4,3kgcm; 0,13s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)



		Motorflugzeug ≤ 2,5m	Motorflugzeug ≤ 3,5m
Basic		D485HW (19,9mm; 7,5kgcm; 0,15s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-311 (20mm; 3,7kgcm; 0,15s/60°) HS-325HB (20mm; 3,7kgcm; 0,15s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°) HS-485HB (19,8mm; 6,0kgcm; 0,18s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°)	HS-5485HB (19,8mm; 6,4kgcm; 0,17s/60°) HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°) HS-755HB (29mm; 13,2kgcm; 0,23s/60°) HS-5485MG (19,8mm; 6,4kgcm; 0,17s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)
Mittelklasse		HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) HS-75BB (23mm; 8,2kg; 0,34s/60°; EZF) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°)
Premium		HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	HSB-9370TH (20mm; 25kgcm; 0,10s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°)
Basic		HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-325HB (20mm; 3,7kgcm; 0,15s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°) D485HW (19,9mm; 7,5kgcm; 0,15s/60°) HS-755MG (29mm; 13,2kgcm; 0,23s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°)
Mittelklasse		D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) D777MG (21mm; 6,5kgcm; 0,07s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) D930SW (20mm; 13,0kgcm; 0,07s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) D954SW (20,0mm; 29kgcm; 0,12s/60°)
Premium		HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	D940TW (20mm; 16,5kgcm; 0,07s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°) HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°)
Basic		HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°) D485HW (19,9mm; 7,5kgcm; 0,15s/60°)	HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5585MH (20,0mm; 17kgcm; 0,14s/60°)
Mittelklasse		HS-5585MH (20,0mm; 17kgcm; 0,14s/60°) D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) D777MG (21mm; 6,5kgcm; 0,07s/60°) D930SW (20mm; 13,0kgcm; 0,07s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	D940TW (20mm; 16,5kgcm; 0,07s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°) D954SW (20mm; 29,0kgcm; 0,12s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) D955TW (20mm; 29,0kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°)
Premium		HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	D941TW (20mm; 16,5kgcm; 0,07s/60°) D951TW (20mm; 35,0kgcm; 0,14s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HSR-M9382TH (20mm; 34kgcm; 0,14s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°) HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) HSB-9370TH (20mm; 25kgcm; 0,10s/60°)



Flugstil	Kategorie	Motor-Kunstflug ≤ 1m	Motor-Kunstflug ≤ 1,3m	Motor-Kunstflug ≤ 1,5m
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°)	HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°) HS-82MG (12mm; 3,4kgcm; 0,1s/60°) HS-85BB (12mm; 3,4kgcm; 0,1s/60°)	HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) D485HW (19,9mm; 7,5kgcm; 0,15s/60°) HS-625MG (20mm; 6,9kgcm; 0,13s/60°) HS-645MG (19,8mm; 9,6kgcm; 0,2s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°)
	Mittelklasse	HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°)	HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°) HS-85MG (12mm; 3,4kgcm; 0,1s/60°)	D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°) HS-5087MH (13mm; 4,3kgcm; 0,13s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	MD89MW (13mm; 7,4kgcm; 0,11s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)
	Basic	HS-55+ (11,6mm; 1,3kgcm; 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm; 0,11s/60°) HS-81 (12mm; 3kgcm; 0,09s/60°)	HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-225BB (16,8mm; 4,4kgcm; 0,13s/60°) HS-82MG (12mm; 3,4kgcm; 0,1s/60°) HS-85BB (12mm; 3,4kgcm; 0,1s/60°)	HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-430BH (19,8mm; 5,0kgcm; 0,14s/60°) HS-485HB (19,8mm; 6,0kgcm; 0,18s/60°)
SPORTLICH	Mittelklasse	HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-65MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-85MG (13mm; 4,3kg; 0,13s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°) HS-5087MH (13mm; 4,3kgcm; 0,13s/60°) HS-85MG (12mm; 3,4kgcm; 0,1s/60°) HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°)	HS-5495BH (20mm; 7,6kgcm; 0,15s/60°) D89MW (13,0mm; 7,4kgcm; 0,11s/60°) HS-7245MH (17,0mm; 6,5kgcm; 0,11s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°) MD89MW (13mm; 7,4kgcm; 0,11s/60°)	MD89MW (13mm; 7,4kgcm; 0,11s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	MD89MW (13mm; 7,4kgcm; 0,11s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)
	Basic	HS-5055MG (11,6mm; 1,6kgcm; 0,17s/60°) HS-70MG (11,6mm; 3,0kgcm; 0,14s/60°) HS-5065MG (11,6mm; 2,2kgcm; 0,11s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°) HS-82MG (12mm; 3,4kgcm; 0,1s/60°) HS-85MG (13mm; 4,3kg; 0,13s/60°)	HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°) HS-5245MG (16,8mm; 5,5kgcm; 0,12s/60°)	HS-225MG (16,8mm; 4,4kgcm; 0,13s/60°)
EXTREM	Mittelklasse	D85MG (13mm; 4,3kg; 0,13s/60°) HS-5085MG (13mm; 4,3kgcm; 0,13s/60°) HS-5070MH (11,6mm; 3,8kgcm; 0,12s/60°)	D89MW (13mm; 7,4kgcm; 0,11s/60°) HS-5087MH (13mm; 4,3kgcm; 0,13s/60°)	HS-5495BH (20mm; 7,6kgcm; 0,15s/60°) HS-7245MH (17,0mm; 6,5kgcm; 0,11s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°) D89MW (13,0mm; 7,4kgcm; 0,11s/60°)
	Premium	MD65MG (11,6mm; 2,2kgcm; 0,11s/60°)	MD89MW (13mm; 7,4kgcm; 0,11s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°) MD250MW (14,8mm; 7,5kgcm; 0,13s/60°)	MD250MW (14,8mm; 7,5kgcm; 0,13s/60°) D930SW (20mm; 13,0kgcm; 0,07s/60°) MD245MW (16,8mm; 6,4kgcm; 0,11s/60°)

ServoXXXX (Breite; Stellkraft bei maximaler Nennspannung; Stellgeschwindigkeit bei maximaler Nennspannung) Servo XXXXX = bis 7,4Volt



	Motor-Kunstflug ≤ 2m	Motor-Kunstflug ≤ 2,5m	Motor-Kunstflug ≤ 3m	Indoor < 300g
Basic	D485HW (19,9mm; 7,5kgcm; 0,15s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas) D645MW (19,8mm; 12,9kgcm; 0,17s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas)	HS-40 (8,6mm; 0,8kgcm, 0,1s/60°) HS-45HB (9,8mm; 1,2kgcm; 0,12s/60°)
Mittelklasse	D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5496MH (20mm); HS-7245MH (20mm) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°) D930SW (20mm; 13,0kgcm; 0,07s/60°)	HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°)	HSB-9485SH (20mm; 44kgcm; 0,17s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°)	MS-8510MG (8,5mm; 1,0kgcm; 0,06s/60°)
Premium	D9855TW (20mm; 29,0kgcm; 0,12s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°)	D946TW (20mm; 23,0kgcm; 0,1s/60°) D955TW (20mm; 29,0kgcm; 0,12s/60°)	D980TW (20mm; 44,0kgcm; 0,17s/60°) HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°)	
Basic	HS-5625MG (19,8mm; 9,4kgcm; 0,14s/60°) HS-5645MG (19,8mm; 12,1kgcm; 0,18s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas) HS-5585MH (20mm; 17,0kgcm; 0,14s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas) D954SW (20mm; 29,0kgcm; 0,12s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°)	HS-40 (8,6mm; 0,8kgcm, 0,1s/60°) HS-45HB (9,8mm; 1,2kgcm; 0,12s/60°)
Mittelklasse	D625MW (19,8mm; 10,0kgcm; 0,13s/60°) D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5565MH (19,8mm; 14kgcm; 0,09s/60°) D777MG (21mm; 6,5kgcm; 0,07s/60°) HS-5585MH (19,8mm; 17kgcm; 0,14s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°)	HSB-9485SH (20mm) HS-7954SH (20mm; 29kgcm; 0,12s/60°) D954SW (20mm; 29,0kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°)	HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°) D980TW (20mm; 44,0kgcm; 0,17s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) D951TW (20mm; 35,0kgcm; 0,14s/60°)	HS-55+ (11,6mm; 1,3kgcm, 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm, 0,11s/60°) MS-8510MG (8,5mm; 1,0kgcm; 0,06s/60°)
Premium	D930SW (20mm; 13,0kgcm; 0,07s/60°) D955TW (20mm; 29,0kgcm; 0,12s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) D940TW (20mm; 16,5kgcm; 0,07s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) D946TW (20mm; 23,0kgcm; 0,07s/60°)	HSB-9380TH (20mm; 34kgcm; 0,14s/60°) HS-7980TH (20mm; 44kgcm; 0,17s/60°) D951TW (20mm; 35,0kgcm; 0,14s/60°) HSR-M9382TH (20mm; 34kgcm; 0,14s/60°)	MD981TW (22,4mm; 44kgcm; 0,17s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HSR-M9382TH (20mm; 34kgcm; 0,14s/60°)	
Basic	D645MW (19,8mm; 12,9kgcm; 0,17s/60°) HS-5585MH (20mm; 17,0kgcm; 0,14s/60°) HS-7245MH (17,0mm; 6,5kgcm; 0,11s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas) D954SW (20mm; 29,0kgcm; 0,12s/60°)	HS-430BH (20mm; 5,1kgcm; 0,14s/60°; Gas)	HS-40 (8,6mm; 0,8kgcm, 0,1s/60°) HS-45HB (9,8mm; 1,2kgcm; 0,12s/60°) HS-53 (11,6mm; 1,5kg; 0,13s/60°)
Mittelklasse	D930SW (20mm; 13,0kgcm; 0,07s/60°) HS-7954SH (20mm; 29kgcm; 0,12s/60°) HS-7955TG (20mm; 31,2kgcm; 0,15s/60°) D954SW (20mm; 29,0kgcm; 0,12s/60°) HSB-9475SH (20mm; 19,4kgcm; 0,1s/60°) HSB-9465SH (20mm; 13,5kgcm; 0,07s/60°) HSB-9485SH (20mm; 23kgcm; 0,15s/60°)	D951TW (20mm; 35,0kgcm; 0,14s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°)	HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9380TH (20mm; 34kgcm; 0,14s/60°) D980TW (20mm; 44,0kgcm; 0,17s/60°) HS-7980TH (22,4mm; 44kgcm; 0,17s/60°) D951TW (20mm; 35,0kgcm; 0,14s/60°)	HS-55+ (11,6mm; 1,3kgcm, 0,14s/60°) HS-65HB (11,6mm; 2,2kgcm, 0,11s/60°) HS-65MG (11,6mm; 2,2kgcm, 0,11s/60°) MS-8510MG (8,5mm; 1,0kgcm; 0,06s/60°)
Premium	D955TW (20mm; 29,0kgcm; 0,12s/60°) HSB-9360TH (20mm; 17kgcm; 0,06s/60°) D946TW (20mm; 23,0kgcm; 0,1s/60°) D940TW (20mm; 16,5kgcm; 0,07s/60°)	D980TW (20mm; 44,0kgcm; 0,17s/60°) HS-M7990TH (22,4mm; 44kgcm; 0,17s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HSR-M9382TH (20mm; 34kgcm; 0,14s/60°)	MD981TW (22,4mm; 44,0kgcm; 0,17s/60°) HSB-9381TH (20mm; 34kgcm; 0,14s/60°) HSR-M9382TH (20mm; 34kgcm; 0,14s/60°)	